

## Claim Listing

Claims 1-28 are cancelled without prejudice.

29. (Previously Presented) A system for displaying images, said systems comprising:

- a first processor for decoding the images in a decoding order;

- a first memory for storing a first plurality of instructions that are executed by the first processor;

- a second processor for determining a display order for the images, wherein the display order is different from the decoding order;

- a second memory for storing a second plurality of instructions that are executed by the second processor; and

- wherein the first processor prepares the decoded images for display in the display order determined by the second processor.

30. (Previously Presented) The system of claim 29, wherein the first processor provides parameters associated with the images, and wherein the second processor determines the display order based on the parameters associated with the images that are provided by the first processor.

Claim 31 is cancelled without prejudice.

## Claim Listing

32. (Amended) The system of claim [31] 29, wherein the second memory stores parameters provided by the [second] first processor, and wherein the second processor determines the display order based on the parameters stored in the second memory.

33. (Amended) The system of claim [31] 29, wherein the second memory stores the decoded images.

34. (Amended) The system of claim [31] 29, wherein the first memory comprises an SRAM, and wherein the second memory comprises a DRAM.

35. (Previously Presented) The system of claim 29, wherein between a vertical synchronization signal and a next vertical synchronization signal, the first processor decodes a particular one of the images, and wherein the second processor selects a display image for display following the next vertical synchronization signal.

36. (Previously Presented) The system of claim 35, wherein the first processor provides parameters associated with the particular one of the images, and wherein the second processor selects the display image based on the parameters associated with the particular one of the images.

37. (Previously Presented) The system of claim 35, wherein the second processor notifies the first processor of the display images, and wherein the first processor

## Claim Listing

prepares the display image for display following the next vertical synchronization signal.

38. (Previously Presented) The system of claim 29, wherein the images are selected from a group consisting of pictures, frames, top fields, and bottom fields.

39. (Previously Presented) A circuit for displaying images, said circuit comprising:

a processor; and

a memory connected to the processor, said memory storing a plurality of instructions that are executable by the processor, wherein execution of the instructions by the processor causes:

decoding the images in a decoding order, wherein decoding the images comprises decoding a particular image between a vertical synchronization signal and a next vertical synchronization signal;

receiving an indication from another processor between the vertical synchronization signal and the next vertical synchronization signal, said indication indicating a display image in a display order, wherein the display order is different from the decoding order; and

preparing the display image for display following the next vertical synchronization signal.

40. (Previously Presented) The circuit of claim 39, wherein execution of the instructions also causes:

writing the decoded images to another memory.

## Claim Listing

41. (Previously Presented) The circuit of claim 39, wherein execution of the instructions also causes:

                  writing the parameters to the another memory.

Claim 42 is cancelled without prejudice.